




part no.	ref. code	DESIGNATION	Model/Specification	Quantity
1	36941001	outer hexagon screw with flange	M6×10	13
2	36941002	Head cover plate	cold rolled steel plate/δ1.5	1
3	36941003	Oil filter	W719	1
4	36941004	Oil filter base	Rp3/4-Rp3/4-M24×1.5	1
5	36941005	outer hexagon bolt	M8×25	2
6	36941006	Fan cover plate	Cold rolled steel plate/δ1.2	1
7	36941007	spring washer	Ø12	8
8	36941008	flat gasket	Ø12	8
9	36941009	outer hexagon bolt	M12×35	8
10	36941010	90°adjustable connector	90 degree G3/8-Ø10	3
11	36941011	Barrels of oil pipe	Ø10	1
12	36941012	Solenoid valve connecting pipe	Ø6	1
13	36941013	Adjustable Connector	0 degree R1/4-Ø6	2
14	36941014	cross recessed pan head screw	M6×10	
15	36941015	oil return pipe of air end	Ø6	1
16	36941016	straight connector	Ø6 straight connector-Ø6 straight connector	1
17	36941017	inverter	Z2000T-5R5GY-4	1
18	36941018	electric control panel	cold rolled steel plate/δ1.5	1
19	36941019	plate for electric control system	acylic plate	1
20	36941020	The fan can not pull off	PG9	1
21	36941021	Control line can not pull off	PG21	1
22	36941022	electric control system	XPMS112-08	1
23	36941023	right shutter	Cold rolled steel plate/δ1.2	1
24	36941024	sponge		1
25	36941025	Vertical shaft on right side r	cold rolled steel plate/δ1.5	1
26	36941026	Main controller fixed plate	cold rolled steel plate/δ1.5	1
27	36941027	controller	6080M	1
28	36941028	Emergency "stop" button	LAY5-BS544	1
29	36941029	inside hexagonal bolt	M8×25	20
30	36941030	Minimum pressure valve	MPV-20K	1
31	36941031	Flange cover of oil-gas barrel	Ø180×18	1
32	36941032	oil cock	M27×1.5	1
33	36941033	oil-gas separator	Ø135×Ø90×40×140	1
34	36941034	Φ 50 Pressure gauge of the oil-gas barrel	Ø50, R1/4	1
35	36941035	oil-gas barrel	3316(simple specification Ø180×418)	1
36	36941036	oil level sight glass	114×22×20 (Center hole distance 80)	1
37	36941037	Front shutter	Cold rolled steel plate/δ1.2	1
38	36941038	Egg neck bolt	M10×45	2
39	36941039	clamp	3/4	1
40	36941040	clamp ring	MFQ-GC-01	1
41	36941041	pressure sensor	R1/4	1
42	36941042	Vertical shaft on left side of the front shutter	cold rolled steel plate/δ1.5	1
43	36941043	outer hexagon bolt	M10×35(with oil hole)	2
44	36941044	Ball valve	R1/4-Rp1/4	1
45	36941045	CE authentication safety valve	R1/2	3
46	36941046	Exhausting pipe of handpiece	Ø28	1
47	36941047	base plate	cold rolled steel plate/δ3	1
48	36941048	90°adjustable connector	90 degree R1/8-Ø6	3
49	36941049	outer hexagon bolt	M8×30	4
50	36941050	Exhausting pipe of oil tank	Ø20	1
51	36941051	straight connector	R1/2-G3/4	1
52	36941052	O seal ring	at the air end exhaust flange	1
53	36941053	frequency conversion electric control box	cold rolled steel plate/δ1.5	1
54	36941054	outer hexagon bolt	M8×30	4

part no.	ref. code	DESIGNATION	Model/Specification	Quantity
55	36941055	90°adjustable connector	90 degree G3/4-Ø10	1
56	36941056	straight connector	R1/8-R1/4	1
57	36941057	oil return valve	Rp1/8-Rp1/8	1
58	36941058	straight connector	0 degree R1/8-Ø6	1
59	36941059	right-angle bend	90 degree R1/8-Rp1/8	1
60	36941060	Host frame	square steel 60×40	1
61	36941061	Bearing lubrication return oil pipe	Ø6	1
62	36941062	left shutter	Cold rolled steel plate/δ1.2	1
63	36941063	hexagon nut	M8	15
64	36941064	outer hexagon bolt	M8×70	2
65	36941065	Cushioning washer	RM-60	4
66	36941066	Temperature sensor	PT100(detector 35mm)	1
67	36941067	flat gasket φ10	Ø10	10
68	36941068	spring washer φ10	Ø10	10
69	36941069	outer hexagon bolt	M10×35	4
70	36941070	Screw handpiece	7.5KW	1
71	36941071	Air inlet valve	AIV-25Y-K	1
72	36941072	flat gasket φ8	Ø8	65
73	36941073	spring washer φ8	Ø8	65
74	36941074	outer hexagon bolt	M8×25	50
75	36941075	air filter	Ø109XØ41X80X40 Ø135X85	1
76	36941076	lock	MS719Z1A020002	8
77	36941077	Vertical shaft on left side of the back shutter	cold rolled steel plate/δ1.5	1
78	36941078	Cooling fan	YWF(K)2D300-Z	1
79	36941079	outer hexagon bolt	M6×20	4
80	36941080	Back shutter	Cold rolled steel plate/δ1.2	1
81	36941081	spring washer φ6	Ø6	4
82	36941082	flat gasket φ6	Ø6	4
83	36941083	Fine oil differentiating return pipe	Ø10	1
84	36941084	Vertical shaft on right side of the back shutter	cold rolled steel plate/δ1.5	1
85	36941085	Head cover	cold rolled steel plate/δ1.5	1
86	36941086	straight connector	90 degree R3/4-M33×2 (24 degree joint)	1
87	36941087	O seal ring	19×2	1
88	36941088	plate-fin heat exchanger	472×370×65mm	1