




part no.	ref. code	DESIGNATION	Model/Specification	Quantity
1	36902001	outer hexagon screw with flange	M6X10	14
2	36902002	Head cover plate	Cold rolled steel plate/δ1.2	1
3	36902003	cooler	570×515×65	1
4	36902004	inside hexagonal bolt	M10×40	4
5	36902005	flat gasket Ø10	Ø10	20
6	36902006	spring washer Ø10	Ø10	20
7	36902007	cross recessed pan head screw	M6X16	6
8	36902008	fan cover	Cold rolled steel plate/δ1.2	1
9	36902009	Head cover plate	Cold rolled steel plate/δ2	1
10	36902010	Emergency „stop” button	/	1
11	36902011	controller	MAM6080	1
12	36902012	nut	M10	2
13	36902013	spring washer Ø10	Ø10	2
14	36902014	flat gasket Ø10	Ø10	2
15	36902015	Egg neck bolt	M10X45	2
16	36902016	clamp	3/4"GC-01)	2
17	36902017	clamp ring	/	1
18	36902018	left shutter	Cold rolled steel plate/δ1.2	1
19	36902019	black lock	/	8
20	36902020	Vertical shaft on left side of the front shutter	Cold rolled steel plate/δ1.5	1
21	36902021	electric control system	/	1
22	36902022	left shutter in the front	Cold rolled steel plate/δ1.2	1
23	36902023	The fan can not pull off	Ø17	1
24	36902024	Control line can not pull off	Ø28	1
25	36902025	outer hexagon bolt	M8X25	4
26	36902026	flat gasket Ø8	Ø8	52
27	36902027	hexagon nut	M8	4
28	36902028	spring washer Ø8	Ø8	52
29	36902029	fixed speed electric control box	Cold rolled steel plate/δ1.5	1
30	36902030	Observation hole plug	NPSM 2"×32	2
31	36902031	compound gasket	Ø60	2
32	36902032	ball valve	R1/4-RP1/4	2
33	36902033	air tank	Ø650	1
34	36902034	base plate	Cold rolled steel plate/δ2	1
35	36902035	Vertical shaft on right side r	Cold rolled steel plate/δ1.5	1
36	36902036	air dryer	/	1
37	36902037	Vertical shaft in the middle side of the front shutter	Cold rolled steel plate/δ1.5	1
38	36902038	right shutter	Cold rolled steel plate/δ1.2	1
39	36902039	Vertical shaft on left side of the back shutter	Cold rolled steel plate/δ1.5	1
40	36902040	safety valve	R3/4	1
41	36902041	connector pipe between air tank and dryer	Ø25X2	1
42	36902042	sealing ring	Ø20x2	1
43	36902043	90°adjustable connector	90 degree -G3/4-M36X2	3
44	36902044	connection pipe between cooling and air tank	Ø25X2	2
45	36902045	straight connector	0 degree -R3/4-M36X2	2
46	36902046	back shutter	Cold rolled steel plate/δ1.2	1
47	36902047	straight connector	0 degree -R1/2-M33X2	1
48	36902048	straight connector	0 degree -R1-M36X2	1
49	36902049	Exhausting pipe of oil tank	20A-JFPMTD-04-04	1
50	36902050	Vertical shaft on left side of the back shutter	Cold rolled steel plate/δ1.5	1
51	36902051	outer hexagon bolt	M8X20	28
52	36902052	shell of air filter	Ø180x120	1
53	36902053	air filter	Ø148xØ49x110x40	1
54	36902054	inside hexagonal bolt	M8X30	4
55	36902055	Air inlet valve	ATV-40B-K	1
56	36902056	Screw handpiece	XLLT75	1
57	36902057	right shutter in the front	Cold rolled steel plate/δ1.2	1
58	36902058	outer hexagon bolt	M12X35	2

part no.	ref. code	DESIGNATION	Model/Specification	Quantity
59	36902059	spring washer Ø12	Ø12	15
60	36902060	flat gasket Ø12	Ø12	15
61	36902061	shock pad	Ø60X50	3
62	36902062	hexagon nut	M12	4
63	36902063	outer hexagon bolt	50X50 square steel	1
64	36902064	Host frame	M16X25	2
65	36902065	spring washer Ø16	Ø16	1
66	36902066	flat gasket Ø16	Ø16	1
67	36902067	Bearing lubrication return oil pipe	Ø6	1
68	36902068	90 degree straight connector	90 degree -R1/8-Ø6	1
69	36902069	Exhausting pipe of handpiece	Ø28	1
70	36902070	outer hexagon bolt	M12X45	4
71	36902071	flange for air end	90X90X18	1
72	36902072	sealing flange in air end	Ø70	1
73	36902073	sealing ring	Ø60x2.65	1
74	36902074	straight connector	R1/8-R1/4	1
75	36902075	right-angle bend	90 degree -R1/8-RP1/8	1
76	36902076	oil return valve	R1/8-RP1/8	1
77	36902077	straight connector	0 degree -R1/8-Ø6	2
78	36902078	Temperature sensor	G1/4	1
79	36902079	oil return pipe 2	Ø6	1
80	36902080	straight connector	0 degree -R1/4-Ø6	1
81	36902081	unloading pipe	Ø6	1
82	36902082	90 degree straight connector	90 degree -R1/4-Ø6	1
83	36902083	Oil filter	W950	1
84	36902084	connector of Oil filter base	M24x1.5-1-12UNF	1
85	36902085	straight adjustable connector	0 degree -R1/2-G3/4	1
86	36902086	Oil filter base	RP3/4-RP3/4	1
87	36902087	straight connector	0 degree -R3/4-M33X2	1
88	36902088	cooling fan	YWF(K)4D500-Z	1
89	36902089	outer hexagon bolt	M10X25	2
90	36902090	Minimum pressure valve	MPV-25F-Y	1
91	36902091	pressure sensor	R1/4	1
92	36902092	outer hexagon bolt	M12X35	8
93	36902093	outer hexagon plug	G1/4	1
94	36902094	frange cover	Ø221.5x18	1
95	36902095	oil gas separator	Ø165xØ75xØ135x200	1
96	36902096	safety valve	R1/2	1
97	36902097	oil tank	Ø220	1
98	36902098	Pressure gauge of the oil-gas barrel	G1/4	1
99	36902099	compound gasket	M27	1
100	369020100	oil cock	M27X1.5	1
101	369020101	bolt for oil hole	M10x35	2
102	369020102	oil level sight glass	114X22X20	1
103	369020103	outer hexagon bolt	M10X25	4
104	369020104	panel plate for controller	Cold rolled steel plate/δ1.2	1
105	369020105	oil inlet pipe to radiator	φ20	1
106	369020106	straight connector	Ø6-Ø6	1
107	369020107	secondary oil return pipe 1	Ø6	1
108	369020108	90°adjustable connector	90 degree -G3/4-M33X2	1
109	369020109	straight connector	0 degree -R1/4-Ø6	1
110	369020110	oil return pipe of air end	Ø20	1
111	369020111	90°adjustable connector	90 degree -G1/2-M33X2-RP1/8	1
112	369020112	outer hexagon bolt	M12X70	2
113	369020113	plate for electric control box	20A-XLAM-01-06.100	1